




Provisional Protocol

Cases consisting of the six maxillary/Mandibular anteriors or larger, should have the following provided when we initially receive the case.



- 1.) -ONE- **APPROVED** temporary model. Anything other than one **approved** model is misleading. **PLEASE SEND E-MAIL OF APPROVED TEMP'S. IN PATIENT'S MOUTH.**
-with a (Full Face photo) and up close - **VERY IMPORTANT !**
- 2.) This approved model of the temporary should be mounted to a face bow relationship. OR Kois occlusal analyzer
- 3.) If you do not wish to mount the model of the temporary at your office and you would like us to mount it then it is (important) that you provide us with a face bow with temp's. In place.
- 4.) One centric relation bite with temp's. Off.
- 5.) One protrusive bite
- 6.) One facebow and OR Kois analyzer relationship with temp's off. Face Bow is necessary though.
- 7.) (Digital Photos)Portfolio of preop. and temporary stages.

*Other anterior situations when we need a provisional model are:

- 1.) Two centrals
- 2.) #7 through #10
- 3.) Six lower anteriors or larger
- 4.) Diastema closing or any other peculiar circumstances.

These things are necessary to provide you and the patient with an accurate interpretation of approved situation and the functions of the mouth itself. This will determine the proper incisal edge position, contour, length, inclination of the condyle and anterior guidance.

Thank you !